



Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Std Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,383	4,642	2,658	1,984	3,700	3,900	11,250	6,450
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,383	4,642	2,658	1,984	3,700	3,900	12,500	7,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,491	4,709	2,737	1,972	3,700	3,900	12,000	7,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,491	4,709	2,737	1,972	3,700	3,900	14,000	9,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,491	4,709	2,737	1,972	3,700	3,900	14,000	9,100
Std Cab - 6'4" Box 4x2 - ST / TRADESMAN / EXPRESS												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,025	1,507	4,518	2,500	2,019	3,700	3,900	8,500	3,800
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,025	1,507	4,518	2,500	2,019	3,700	3,900	8,500	3,800
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,385	4,640	2,657	1,983	3,700	3,900	11,250	6,450
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,385	4,640	2,657	1,983	3,700	3,900	12,500	7,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,493	4,707	2,739	1,968	3,700	3,900	12,000	7,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,493	4,707	2,739	1,968	3,700	3,900	14,000	9,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,493	4,707	2,739	1,968	3,700	3,900	14,000	9,100
Std Cab - 6'4" Box 4x2 - SPORT (R/T)												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	4.1	6,200	1,412	4,788	2,710	2,078	3,700	3,900	10,000	5,050
Std Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,483	4,867	2,803	2,064	3,900	3,900	11,250	6,200
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,483	4,867	2,803	2,064	3,900	3,900	12,500	7,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,416	4,934	2,882	2,052	3,900	3,900	14,000	8,900
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,416	4,934	2,882	2,052	3,900	3,900	14,000	8,900
Std Cab - 6'4" Box 4x4 - ST / TRADESMAN / EXPRESS												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,484	4,866	2,821	2,045	3,900	3,900	11,250	6,200
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,484	4,866	2,821	2,045	3,900	3,900	12,500	7,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,417	4,933	2,899	2,034	3,900	3,900	14,000	8,900
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,417	4,933	2,899	2,034	3,900	3,900	14,000	8,900
Std Cab - 6'4" Box 4x4 - SPORT												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,345	5,005	2,871	2,135	3,900	3,900	14,000	8,800
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,345	5,005	2,871	2,135	3,900	3,900	14,000	8,800
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												

STD CAB - 8' BOX 2WD - TRADESMAN HD												
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (E2C)	A6	66RFE 6 sp AUTO (DFP)	4.10	8,610	3,125	5,485	3,063	2,422	4,750	6,000	17,500	11,500



1500

1500 TOWING CHARTS

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Std Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,263	4,762	2,656	2,106	3,700	3,900	11,250	6,300
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,263	4,762	2,656	2,106	3,700	3,900	12,500	7,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,371	4,829	2,735	2,094	3,700	3,900	12,000	7,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,371	4,829	2,735	2,094	3,700	3,900	14,000	9,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,371	4,829	2,735	2,094	3,700	3,900	14,000	9,000
Std Cab - 6'4" Box 4x2 - ST / TRADESMAN / EXPRESS - Rambox												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,025	1,387	4,638	2,498	2,141	3,700	3,900	8,500	3,700
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,025	1,387	4,638	2,498	2,141	3,700	3,900	8,500	3,700
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,025	1,265	4,760	2,655	2,105	3,700	3,900	11,250	6,300
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,025	1,265	4,760	2,655	2,105	3,700	3,900	12,500	7,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,200	1,373	4,827	2,737	2,090	3,700	3,900	12,000	7,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,200	1,373	4,827	2,737	2,090	3,700	3,900	14,000	9,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,200	1,373	4,827	2,737	2,090	3,700	3,900	14,000	9,000
Std Cab - 6'4" Box 4x2 - SPORT (R/T) - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	4.1	6,200	1,292	4,908	2,708	2,200	3,700	3,900	10,000	4,900
Std Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,363	4,987	2,801	2,186	3,900	3,900	11,250	6,100
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,363	4,987	2,801	2,186	3,900	3,900	12,500	7,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,296	5,054	2,880	2,174	3,900	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,296	5,054	2,880	2,174	3,900	3,900	14,000	8,750
Std Cab - 6'4" Box 4x4 - ST / TRADESMAN / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,350	1,364	4,986	2,819	2,167	3,900	3,900	11,250	6,100
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,350	1,364	4,986	2,819	2,167	3,900	3,900	12,500	7,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,297	5,053	2,897	2,156	3,900	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,297	5,053	2,897	2,156	3,900	3,900	14,000	8,750
Std Cab - 6'4" Box 4x4 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,350	1,225	5,125	2,869	2,257	3,900	3,900	14,000	8,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,350	1,225	5,125	2,869	2,257	3,900	3,900	14,000	8,700
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												



1500

1500 TOWING CHARTS

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Std Cab - 8' Box 4x2 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,772	4,828	2,809	2,020	3,700	3,900	11,250	6,250
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,772	4,828	2,809	2,020	3,700	3,900	12,500	7,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,600	1,705	4,895	2,865	2,030	3,700	3,900	12,000	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,705	4,895	2,865	2,030	3,700	3,900	14,000	8,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,705	4,895	2,865	2,030	3,700	3,900	15,500	10,450
Std Cab - 8' Box 4x2 - ST / TRADESMAN												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,600	1,909	4,691	2,653	2,038	3,700	3,900	8,500	3,650
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,600	1,909	4,691	2,653	2,038	3,700	3,900	8,500	3,650
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,773	4,827	2,792	2,035	3,700	3,900	11,250	6,250
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,773	4,827	2,792	2,035	3,700	3,900	12,500	7,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,600	1,706	4,894	2,877	2,017	3,700	3,900	12,000	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,706	4,894	2,877	2,017	3,700	3,900	14,000	8,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,706	4,894	2,877	2,017	3,700	3,900	15,500	10,450
Std Cab - 8' Box 4x4 - SLT / OUTDOORSMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,567	5,033	2,942	2,091	3,900	3,900	11,250	6,050
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,567	5,033	2,942	2,091	3,900	3,900	12,500	7,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,500	5,100	2,999	2,101	3,900	3,900	14,000	8,700
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,500	5,100	2,999	2,101	3,900	3,900	15,500	10,200
Std Cab - 8' Box 4x4 - ST / TRADESMAN												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,600	1,568	5,032	2,958	2,073	3,900	3,900	11,250	6,050
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,600	1,568	5,032	2,958	2,073	3,900	3,900	12,500	7,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,600	1,501	5,099	3,008	2,091	3,900	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,600	1,501	5,099	3,008	2,091	3,900	3,900	15,500	10,250
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												



Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Quad Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,668	5,032	2,883	2,149	3,700	3,900	11,250	6,050
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,668	5,032	2,883	2,149	3,700	3,900	12,500	7,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,611	5,089	2,935	2,154	3,700	3,900	12,000	6,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,611	5,089	2,935	2,154	3,700	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,611	5,089	2,935	2,154	3,700	3,900	15,500	10,250
Quad Cab - 6'4" Box 4x2 - ST / EXPRESS												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,700	1,810	4,890	2,733	2,157	3,700	3,900	8,500	3,450
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,700	1,810	4,890	2,733	2,157	3,700	3,900	8,500	3,450
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,674	5,026	2,875	2,151	3,700	3,900	11,250	6,050
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,674	5,026	2,875	2,151	3,700	3,900	12,500	7,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,614	5,086	2,925	2,161	3,700	3,900	12,000	6,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,614	5,086	2,925	2,161	3,700	3,900	14,000	8,750
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,614	5,086	2,925	2,161	3,700	3,900	15,500	10,250
Quad Cab - 6'4" Box 4x2 - LARAMIE												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,431	5,269	3,017	2,252	3,700	3,900	12,000	6,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,431	5,269	3,017	2,252	3,700	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,431	5,269	3,017	2,252	3,700	3,900	15,500	10,050
Quad Cab - 6'4" Box 4x2 - SPORT												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,486	5,214	2,976	2,238	3,700	3,900	12,000	6,600
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,486	5,214	2,976	2,238	3,700	3,900	14,000	8,600
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,486	5,214	2,976	2,238	3,700	3,900	15,500	10,100
Quad Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,491	5,209	3,024	2,185	3,900	3,900	11,250	5,850
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,491	5,209	3,024	2,185	3,900	3,900	12,500	7,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,406	5,294	3,103	2,191	3,900	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,406	5,294	3,103	2,191	3,900	3,900	15,500	10,050
Quad Cab - 6'4" Box 4x4 - ST / EXPRESS												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,497	5,203	3,040	2,163	3,900	3,900	11,250	5,850
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,497	5,203	3,040	2,163	3,900	3,900	12,500	7,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,409	5,291	3,089	2,201	3,900	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,409	5,291	3,089	2,201	3,900	3,900	15,500	10,050
Quad Cab - 6'4" Box 4x4 - LARAMIE												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,229	5,471	3,172	2,299	3,900	3,900	14,000	8,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,229	5,471	3,172	2,299	3,900	3,900	15,500	9,850
Quad Cab - 6'4" Box 4x4 - SPORT												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,317	5,383	3,128	2,255	3,900	3,900	14,000	8,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,317	5,383	3,128	2,255	3,900	3,900	15,500	9,950
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												



1500

1500 TOWING CHARTS

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Quad Cab - 6'4" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,548	5,152	2,881	2,271	3,700	3,900	11,250	5,900
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,548	5,152	2,881	2,271	3,700	3,900	12,500	7,150
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,491	5,209	2,933	2,276	3,700	3,900	12,000	6,600
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,491	5,209	2,933	2,276	3,700	3,900	14,000	8,600
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,491	5,209	2,933	2,276	3,700	3,900	15,500	10,100
Quad Cab - 6'4" Box 4x2 - ST / EXPRESS - Rambox												
3.7L V6 (EKG)	A4	42RLE (DGV)	3.55	6,700	1,690	5,010	2,731	2,279	3,700	3,900	8,500	3,300
3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,700	1,690	5,010	2,731	2,279	3,700	3,900	8,500	3,300
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,554	5,146	2,874	2,272	3,700	3,900	11,250	5,950
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,554	5,146	2,874	2,272	3,700	3,900	12,500	7,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,494	5,206	2,923	2,283	3,700	3,900	12,000	6,600
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,494	5,206	2,923	2,283	3,700	3,900	14,000	8,600
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,494	5,206	2,923	2,283	3,700	3,900	15,500	10,100
Quad Cab - 6'4" Box 4x2 - LARAMIE - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,311	5,389	3,015	2,374	3,700	3,900	12,000	6,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,311	5,389	3,015	2,374	3,700	3,900	14,000	8,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,311	5,389	3,015	2,374	3,700	3,900	15,500	9,950
Quad Cab - 6'4" Box 4x2 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,700	1,366	5,334	2,975	2,359	3,700	3,900	12,000	6,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,366	5,334	2,975	2,359	3,700	3,900	14,000	8,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,366	5,334	2,975	2,359	3,700	3,900	15,500	10,000
Quad Cab - 6'4" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,371	5,329	3,022	2,307	3,900	3,900	11,250	5,750
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,371	5,329	3,022	2,307	3,900	3,900	12,500	7,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,286	5,414	3,101	2,312	3,900	3,900	14,000	8,400
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,286	5,414	3,101	2,312	3,900	3,900	15,500	9,900
Quad Cab - 6'4" Box 4x4 - ST / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,700	1,377	5,323	3,039	2,285	3,900	3,900	11,250	5,750
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,700	1,377	5,323	3,039	2,285	3,900	3,900	12,500	7,000
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,289	5,411	3,087	2,323	3,900	3,900	14,000	8,400
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,289	5,411	3,087	2,323	3,900	3,900	15,500	9,900
Quad Cab - 6'4" Box 4x4 - LARAMIE - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,109	5,591	3,170	2,421	3,900	3,900	14,000	8,250
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,109	5,591	3,170	2,421	3,900	3,900	15,500	9,750
Quad Cab - 6'4" Box 4x4 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,700	1,197	5,503	3,126	2,377	3,900	3,900	14,000	8,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,700	1,197	5,503	3,126	2,377	3,900	3,900	15,500	9,800
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												



Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Crew Cab - 5'7" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,714	5,086	2,882	2,203	3,700	3,900	11,250	6,000
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,714	5,086	2,882	2,203	3,700	3,900	12,500	7,250
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,630	5,170	2,954	2,216	3,700	3,900	12,000	6,650
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,630	5,170	2,954	2,216	3,700	3,900	14,000	8,650
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,630	5,170	2,954	2,216	3,700	3,900	15,500	10,150
Crew Cab - 5'7" Box 4x2 - ST / EXPRESS												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,717	5,083	2,875	2,208	3,700	3,900	11,250	6,000
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,717	5,083	2,875	2,208	3,700	3,900	12,500	7,250
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,633	5,167	2,947	2,220	3,700	3,900	12,000	6,650
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,633	5,167	2,947	2,220	3,700	3,900	14,000	8,650
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,633	5,167	2,947	2,220	3,700	3,900	15,500	10,150
Crew Cab - 5'7" Box 4x2 - LARAMIE												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,450	5,350	3,039	2,312	3,700	3,900	12,000	6,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,450	5,350	3,039	2,312	3,700	3,900	14,000	8,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,450	5,350	3,039	2,312	3,700	3,900	15,500	9,950
Crew Cab - 5'7" Box 4x2 - LONG HORN												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,273	5,527	3,082	2,445	3,700	3,900	12,000	6,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,273	5,527	3,082	2,445	3,700	3,900	14,000	8,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,273	5,527	3,082	2,445	3,700	3,900	15,500	9,800
Crew Cab - 5'7" Box 4x2 - SPORT												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,527	5,273	2,979	2,294	3,700	3,900	12,000	6,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,527	5,273	2,979	2,294	3,700	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,527	5,273	2,979	2,294	3,700	3,900	15,500	10,050
Crew Cab - 5'7" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,540	5,260	3,027	2,234	3,900	3,900	11,250	5,800
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,540	5,260	3,027	2,234	3,900	3,900	12,500	7,050
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,455	5,345	3,108	2,237	3,900	3,900	14,000	8,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,455	5,345	3,108	2,237	3,900	3,900	15,500	10,000
Crew Cab - 5'7" Box 4x4 - ST / EXPRESS												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,543	5,257	3,021	2,236	3,900	3,900	11,250	5,800
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,543	5,257	3,021	2,236	3,900	3,900	12,500	7,050
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,458	5,342	3,094	2,248	3,900	3,900	14,000	8,500
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,458	5,342	3,094	2,248	3,900	3,900	15,500	10,000
Crew Cab - 5'7" Box 4x4 - LARAMIE												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,278	5,522	3,176	2,346	3,900	3,900	14,000	8,300
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,278	5,522	3,176	2,346	3,900	3,900	15,500	9,800
Crew Cab - 5'7" Box 4x4 - LONG HORN												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,146	5,654	3,201	2,454	3,900	3,900	14,000	8,150
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,146	5,654	3,201	2,454	3,900	3,900	15,500	9,650
Crew Cab - 5'7" Box 4x4 - SPORT												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,322	5,478	3,140	2,338	3,900	3,900	14,000	8,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,322	5,478	3,140	2,338	3,900	3,900	15,500	9,850
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												



1500

1500 TOWING CHARTS

Engine	Trans Type	Transmission	Axle	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
						Total	Front	Rear	Front	Rear		
Crew Cab - 5'7" Box 4x2 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,613	5,187	2,881	2,306	3,700	3,900	11,250	5,900
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,613	5,187	2,881	2,306	3,700	3,900	12,500	7,150
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,529	5,271	2,953	2,318	3,700	3,900	12,000	6,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,529	5,271	2,953	2,318	3,700	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,529	5,271	2,953	2,318	3,700	3,900	15,500	10,050
Crew Cab - 5'7" Box 4x2 - ST / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,616	5,184	2,874	2,310	3,700	3,900	11,250	5,900
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,616	5,184	2,874	2,310	3,700	3,900	12,500	7,150
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,532	5,268	2,946	2,323	3,700	3,900	12,000	6,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,532	5,268	2,946	2,323	3,700	3,900	14,000	8,550
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,532	5,268	2,946	2,323	3,700	3,900	15,500	10,050
Crew Cab - 5'7" Box 4x2 - LARAMIE - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,349	5,451	3,037	2,414	3,700	3,900	12,000	6,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,349	5,451	3,037	2,414	3,700	3,900	14,000	8,350
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,349	5,451	3,037	2,414	3,700	3,900	15,500	9,850
Crew Cab - 5'7" Box 4x2 - LONG HORN - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,180	5,620	3,081	2,539	3,700	3,900	12,000	6,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,180	5,620	3,081	2,539	3,700	3,900	14,000	8,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,180	5,620	3,081	2,539	3,700	3,900	15,500	9,700
Crew Cab - 5'7" Box 4x2 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.21	6,800	1,426	5,374	2,977	2,396	3,700	3,900	12,000	6,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,426	5,374	2,977	2,396	3,700	3,900	14,000	8,450
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,426	5,374	2,977	2,396	3,700	3,900	15,500	9,950
Crew Cab - 5'7" Box 4x4 - SLT / OUTDOORSMAN / BIG HORN / LONE STAR - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,439	5,361	3,025	2,336	3,900	3,900	11,250	5,700
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,439	5,361	3,025	2,336	3,900	3,900	12,500	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,354	5,446	3,106	2,339	3,900	3,900	14,000	8,400
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,354	5,446	3,106	2,339	3,900	3,900	15,500	9,900
Crew Cab - 5'7" Box 4x4 - ST / EXPRESS - Rambox												
4.7L V8 (EVE)	A6	65RFE(DG1)	3.55	6,800	1,442	5,358	3,020	2,338	3,900	3,900	11,250	5,700
4.7L V8 (EVE)	A6	65RFE(DG1)	3.92	6,800	1,442	5,358	3,020	2,338	3,900	3,900	12,500	6,950
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,357	5,443	3,092	2,350	3,900	3,900	14,000	8,400
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,357	5,443	3,092	2,350	3,900	3,900	15,500	9,900
Crew Cab - 5'7" Box 4x4 - LARAMIE - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,177	5,623	3,175	2,449	3,900	3,900	14,000	8,200
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,177	5,623	3,175	2,449	3,900	3,900	15,500	9,700
Crew Cab - 5'7" Box 4x4 - LONG HORN - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,052	5,748	3,200	2,549	3,900	3,900	14,000	8,100
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,052	5,748	3,200	2,549	3,900	3,900	15,500	9,600
Crew Cab - 5'7" Box 4x4 - SPORT - Rambox												
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.55	6,800	1,221	5,579	3,138	2,441	3,900	3,900	14,000	8,250
5.7L HEMI V8 (EZH)	A6	65RFE(DG1)	3.92	6,800	1,221	5,579	3,138	2,441	3,900	3,900	15,500	9,750
NOTES:												
Note that all the payload and Max Trail weights are ESTIMATED values.												
1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.												
2. Maximum trailer weights are rounded down to the nearest 50 lbs.												
3. The recommended tongue weight is 10 percent of the gross trailer weight. However, the maximum tongue weight on Class III (the bumper ball) is limited to 500 pounds, and Class IV (the receiver hitch) to 1,045 pounds. Additionally, the GAWR's and GVWR's should never be exceeded.												
4. The maximum trailer weight is 5,000 pounds for a weight-carrying hitch. A weight distributing system is recommended for trailers over 5,000 pounds.												