

# 2018 Ram Commercial 3500, 4500 & 5500 Chassis Cab **FEATURE AVAILABILITY**

S = Standard. O = Optional. P = Part of package. F = Fleet only option Note: some features and/or applications may be late availability.

	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
ENGINE AND TRANSMISSION			
6.4-liter HEMI <sup>®</sup> V-8 (410 hp (SRW)/370 hp/429 lbft.) 66RFE six-speed automatic (standard on 3500 models only)	S	S	S
6.4-liter HEMI V-8 (370 hp (3500)/366 hp/429 lbft.) AISIN 66RC six-speed automatic (optional for 3500; standard on 4500/5500)	O/S	O/S	O/S
6.7-liter Cummins Turbo Diesel I-6 (320 hp/650 lbft.) G56 six-speed manual (available for all models)	0	0	0
6.7-liter Cummins Turbo Diesel I-6 (325 hp/750 lbft.) AISIN 69RC six-speed automatic (available for all models)	0	0	0
Engine shut-off timer — 5 minutes (dealer programmable from 1 to 60 minutes)	0	0	0
Max speed settings — 65 mph, 70 mph, 77 mph	0	0	0
Power take-off (PTO)			
Alternate left side requires AISIN transmission (includes split-shaft capability with 6.7-liter)	0	0	0
Available with AISIN automatic or the manual transmission (includes split-shaft capability with 6.7-liter)	0	0	0
PTO split-shaft capability (packaged with Power Take-off Prep when equipped with 6.7-liter)	Р	Р	Р
MECHANICAL FEATURES			
Alternator			
180-amp, included with 6.4-liter HEMI V-8 and with Cummins Turbo Diesel engines	S	S	S
220-amp, included with Heavy-Duty Snow Plow Prep Group and Ambulance Prep Group	O/P	O/P	O/P
380-amp, optional with 6.4-liter HEMI V-8 (dual 160-amp and 220-amp alternators)	0	0	0
440-amp, optional with 6.7-liter Cummins Turbo Diesel (dual 220-amp alternators; packaged with Emergency/Fire/Rescue Special Emissions Package)	O/P	O/P	O/P
Battery — 730-amp (1 per vehicle with gas engine; two per vehicle with diesel engine)	S	S	S



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Biodiesel Compatibility (B20)	0	0	0
Diesel Exhaust Brake ("Smart" Exhaust Brake) — packaged with 6.7-liter Cummins engine	Р	Р	Р
Engine block heater — optional with gas engine; included with Cold Weather Group with diesel engine	O/P	O/P	O/P
Engine cooling — heavy-duty	S	S	S
Two extra base keys (not available with Power and Remote Entry Group or Remote Keyless Entry)	0	_	_
Fuel Tanks			
Dual, 52- and 22-gallon, totaling 74 gallons (not available on 3500 SRW and 60-in. CA with 6.4-liter HEMI)	0	0	0
Single 22-gallon, mid-ship-mounted (standard on 3500 SRW 10,000-lb. GVWR models)	S/O	S/O	S/O
Single 52-gallon, rear-mounted (not available on 3500 SRW 10,000-lb. GVWR models)	S	S	S
Shock Absorbers			
Front, heavy-duty	S	S	S
Rear, heavy-duty	S	S	S
Skid plate — transfer case (4x4 only; included with Heavy-Duty Snow Plow Prep Group)	O/P	O/P	O/P
Stabilizer bar — front	S	S	S
Steering — power, recirculating ball	S	S	S
Tow hooks — available with gas engine on 3500; included with diesel engine on 3500 models; standard on 4500/5500 models	O/P/S	O/P/S	O/P/S
Transfer Cases			
Manual shift, part-time (4x4 only)	S	S	_
Electric shift, part-time (4x4 only)	0	0	S
Upfitter Electronic Interface Module (VSIM) — Over 50 inputs and outputs (packaged with Ambulance Prep Group)	O/P	O/P	O/P
Voltage Monitoring Auto Idle-up system (included with Rollback Carrier Group and Ambulance Prep Group)	O/P	O/P	O/P
AXLES, 3500			
Front			
6,000-lb. GAWR (standard on SRW models)	Р	Р	Р
Axle disconnect with 4x4	S	S	S



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Rear			
Anti-spin differential	S	S	S
3.42 ratio (diesel models only)	0	0	0
3.73 ratio (diesel models only)	S	S	S
4.10 ratio (standard with gas; optional with diesel) (included with Max Tow Package)	S/P/O	S/P/O	S/P/O
4.44 ratio (included with 6.4-liter HEMI gas engine and AISIN transmission)	Р	Р	Р
AAM 11.5-in. beam rear axle (SRW models only)	S	S	S
AAM 11.5-in. beam rear axle(DRW models only)	S	S	S
AXLES, 4500 AND 5500			
Front — 10.8-in.	S	S	S
Rear			
Anti-spin differential	S	S	S
4.10 ratio (4500 models: packaged with Cummins Turbo Diesel engine with AISIN transmission; 5500 models: packaged with Cummins Turbo Diesel with manual transmission)	Р	Р	Р
4.44 ratio (standard on 4500/5500 models; optional with 6.7-liter engine and manual transmission)	S/O	S/O	S/O
4.88 ratio (optional on 4500, requires 6.4-liter engine; included with the Max Tow and Payload Upgrade packages on 5500)	O/P	O/P	O/P
Dana 12.25-inch axle (12,000-lb. GAWR on 4500; 13,500-lb. GAWR on 5500)	S	S	S
EXTERIOR FEATURES			
Badging			
SLT	_	S	_
Laramie	_	_	S
Bumper			
Front, black	S	<u> </u>	<u> </u>
Front, chrome (included with Chrome Appearance Group)	Р	S	S
Chrome bodyside moldings — authentic accessory from Mopar	0	0	0



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Tubular side steps in chrome			
Authentic accessory from Mopar	0	0	0
Black (regular cab only)	0	0	_
Fascia			
Front, headlamp filler, black (standard on 4500 and 5500 models; included with low-volume paint)	S	S	S
Front, headlamp filler in body color (3500 only)	S	S	S
Fog lamps (available with Chrome Appearance Group on Tradesman and as a single option for SLT models)	Р	0	S
Grilles			
Black insert and surround	S	_	_
Chrome surround, black insert (included with Chrome Appearance Group)	Р	S	_
Chrome surround, chrome insert	_	_	S
Headlamps			
Automatic	S	S	S
Halogen — quad-lens	S	S	_
Halogen — bi-functional projector	_	_	S
Key-alike Feature — allows a single key to start multiple trucks	0	0	_
Lamps — cab-clearance	S	S	S
Mirrors			
Folding trailer-tow, manual, black (regular cab only)	S	_	_
Power multifunction trailer-tow, heated, manual folding, chrome; includes position memory, exterior courtesy lamps and supplemental turn signals	<del>_</del>	_	S
Power trailer-tow, heated, manual folding, black; includes exterior courtesy lamps and supplemental turn signals (standard on crew cab models; included with Power Accessory and Power and Remote Entry Groups)	P/S	S	_
Monotone paint	S	S	S
Pickup box delete	S	S	S
Tail lamps — LED (not available with SRW models)	0	0	0
TIRES — 3500			
LT235/80R17E BSW All-season (DRW models only)	S	S	S
LT235/80R17E OWL On-/Off-road (4x4 DRW models only)	0	0	0



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
LT275/70R18E BSW On-/Off-road (standard on 3500 10,000-lb. GVWR models; packaged with other SRW models)	S/P	S/P	S/P
Spare, full-size	0	0	0
TIRES — 4500/5500			
225/70R19.5G BSW All-position (4x2 models only)	S	S	S
225/70R19.5G BSW All-position front, rear traction (standard on 4x4 models; available for 4x2 models)	S/O	S/O	S/O
225/70R19.5G BSW All-traction (4x4 models only)	0	0	0
Spare, full-size	0	0	0
WHEELS — 3500			
17- x 6-in. argent steel (DRW models only)	S	_	_
17- x 6-in. bright wheel covers and center cap (DRW models only; included with Chrome Appearance Group on Tradesman models)	Р	S	_
17- x 6-in. aluminum (DRW models only)	_	0	S
18-in. steel (SRW models only)	S	_	_
18-in. chrome-clad steel (SRW models only; optional on Tradesman; included with Chrome Appearance Group)	O/P	S	_
18-in. polished aluminum (SRW models only)	0	0	S
WHEELS, 4500/5500			
19.5- x 6-in. steel	S	S	_
19.5- x 6-in. polished aluminum	0	0	S
Wheel well flares			
Black (4500/5500 models only)	S	S	S
Body-color (3500 models only)	0	0	0
Windshield wipers			
Variable/intermittent	S	S	S
Rain-sensitive (packaged with Convenience Group)	_	_	Р



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
INTERIOR FEATURES			
Air conditioning	S	S	S
Dual-zone automatic temperature control (included with Heated Seats and Wheel Group; crew cab only)	_	Р	S
Assist handles — driver- and passenger-side (A-pillar-mounted)	S	S	S
Auxiliary switches — five	S	S	S
Bezel			
Center-stack, black	S	_	_
Center-stack, color-keyed	_	S	_
Center-stack, woodgrain insert	_	_	S
Consoles			
Full-size floor center (included with front bucket seats)	_	Р	Р
Overhead with universal garage door opener (included with Luxury Group)	_	Р	S
Overhead with map lights	Р	S	_
Door Locks			
Manual (regular cab only)	S	_	_
Power (included with Power Accessory and Power and Remote Entry Groups; standard on Tradesman crew cab model)	P/S	S	S
Floor Covering			
Heavy-duty vinyl	S	0	0
Carpet	0	S	S
Floor Mats			
Front, carpeted (regular cab; included with carpet on Tradesman models)	Р	S	_
Front and rear, carpeted (crew cab; included with carpet on Tradesman models)	Р	S	S
Front, rubber (regular cab; requires carpet)	0	0	_
Front and rear, rubber (crew cab; requires carpet)	0	0	0
Passenger-side visor with mirror	S	S	_
Instrument Cluster			
3.5-in. display, tachometer (120-mph speedometer on 3500; 87-mph on 4500/5500 with EVIC display)	S	S	_
7-in. driver information display (DID) (included with Luxury Group)	_	Р	S



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Mirrors			
Day/night manual	S	S	_
Auto-dimming rearview day/night, with camera display (packaged with ParkView Rear Backup Camera)	Р	Р	Р
Auto-dimming rearview day/night with Uconnect Phone (included with Convenience Group)	_	_	Р
Passenger-side visor with mirror	S	S	_
Illuminated visors for driver and passenger (included with Luxury Group)	_	Р	S
Pedals			
Power adjustable (3500, 4500 and 5500; requires automatic transmission)	_	0	_
Power adjustable with memory (3500, 4500 and 5500; requires automatic transmission)	_	_	0
Power accessory delay	S	S	S
Power Outlets			
115-volt auxiliary	_	Р	S
12-volt auxiliary, two	S	S	S
Seating			
Seat belts, front, shoulder height-adjustable	S	S	S
Heated, driver and front-passenger; includes heated steering wheel (included with Heated Seats and Wheel Group)	_	Р	S
10-way power driver's seat	_	Р	_
10-way power driver's seat with memory and six-way power passenger	_	_	S
Front center-seat delete (packaged with Rear Interior Trim Delete Group)	0	0	_
Delete rear seat (crew cab models only)	O/P	O/P	_
Heated, second-row	_	_	Р
Seats			
Vinyl 40/20/40 split-bench front seat with folding center armrest/business console (crew cab models include folding rear bench seat trimmed in vinyl)	S	_	_
Work-grade vinyl 40/20/40 split bench	0	0	_
Cloth-trimmed 40/20/40 split-bench front seat with folding center armrest/business console (crew cab models include folding rear bench seat trimmed in cloth)	0	S	-



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Premium cloth-trimmed 40/20/40 split-bench front seat, power 10-way driver seat, power lumbar adjuster, folding center armrest/business console with center-seat-cushion storage and 115-volt auxiliary power outlet (crew cab models include 60/40 split-folding rear bench seat trimmed in cloth)	_	0	_
Premium cloth-trimmed low-back bucket seats, power 10-way driver seat, power lumbar adjuster, fixed center console and 115-volt auxiliary power outlet (crew cab models include 60/40 split-folding rear bench seat trimmed in cloth)	_	0	_
Leather-trimmed ventilated and heated 40/20/40 split-bench front seats with power 10-way/memory for driver and power 6-six-way passenger seat, power lumbar adjuster, front center-seat-cushion storage and folding center armrest/business console, and 115-volt auxiliary power outlet (crew cab models include 60/40 split-folding rear bench seat trimmed in vinyl)	-	_	S
Leather-trimmed low-back, ventilated and heated bucket seats; includes power 10-way driver and power six-way passenger seats, power lumbar adjuster, fixed center console, 115-volt auxiliary power outlet and heated second-row seats on crew cab models (crew cab models include 60/40 split-folding rear bench seat trimmed in vinyl)	_	_	0
Speed control	S	S	S
Steering wheels			
Four spoke, urethane	S	S	_
Heated (included with heated seats; included with Heated Seats and Wheel Group)	_	Р	S
Leather-wrapped with remote audio control buttons (included with Luxury Group and Heated Seats and Wheel Group)	_	Р	S
Tilt column	S	S	S
Storage			
Front, behind-the-seat (regular cab only)	S	S	_
Front-seat center-cushion	_	Р	S
Tip Start — included with automatic transmissions	Р	Р	Р
Turn signals — one-touch three-blink lane-change feature	S	S	S
Windows			
Manual (regular cab only)	S	_	_
Power, front and rear with driver's one-touch up/down (crew cab models only)	S	S	S
Power, front with driver's one-touch down (regular cab only; included with Power Accessory Group and Power and Remote Entry Group)	Р	S	_
Rear backlight, fixed	S	S	_
			-



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Rear backlight, power sliding (crew cab models only; included with Luxury Group)	_	Р	S
Rear backlight, sliding	0	0	_
Rear defrost (available with fixed rear or power sliding rear window; requires Power Accessory Group on Tradesman models)	0	0	0
UCONNECT MULTIMEDIA			
Integrated Voice Command with Bluetooth — handsfree calling with Address Sync, Bluetooth	Р	Р	Р
Radio controls — steering wheel-mounted audio controls (included with leather-wrapped steering wheel, Luxury Group and Heated Seats and Wheel Group)	_	Р	S
Single-disc remote CD player	0	0	0
SiriusXM Guardian included with 8.4-in. radios	_	Р	Р
SiriusXM Radio	0	S	S
SiriusXM Travel Link and Traffic Plus - included with 8.4-in. radios	_	Р	Р
2.5-amp charging USB port	Р	Р	S
Media hub (included with Uconnect 3.0 and 5.0)	S	S	_
1.5-amp fully functional USB port	S	S	S
Auxiliary input jack for mobile devices	S	S	S
Media hub (included with Uconnect 8.4-in. radios)	_	Р	S
Speaker Systems			
Premium (available with Uconnect 8.4-in. radios; not available with Upfitter Electronic Interface Module)	_	0	0
Six speakers, standard on crew cab Tradesman model	_	S	S
Two speakers, standard on regular cab	S	_	_
Radio 3.0 — AM/FM with media hub (USB, auxiliary jack)	S	S	_
Uconnect 3.0 Radio — AM/FM/integrated Voice Command with Bluetooth with media hub (USB, auxiliary jack)	0	0	
Uconnect 3.0 with 5.0 — AM/FM, media hub (USB, auxiliary jack), global positioning system, Integrated Voice Command with Bluetooth and SiriusXM Radio	0	0	_
Uconnect 4C with 8.4-in. display radio — AM/FM, media hub (USB, auxiliary jack), GPS, Integrated Voice Command with Bluetooth, SiriusXM Radio and Rcall/ecall (required for Heated Seats and Wheel Group)	_	0	S



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Uconnect 4C NAV with 8.4-in. display radio — AM/FM, media hub (USB, auxiliary jack), GPS navigation, Integrated Voice Command with Bluetooth, SiriusXM Radio, Rcall/ecall and HD radio (required for Heated Seats and Wheel Group)	_	0	0
SAFETY & SECURITY			
Air Bags			
Two, multistage front	S	S	S
Driver's only	0	0	_
Brakes — power-assisted four-wheel antilock disc	S	S	S
DOT-certified Roadside Safety Kit — includes DOT fire extinguisher, three reflecting triangles, two red vinyl flags and spare fuses	0	0	0
Electronic stability control (ESC) system	S	S	S
ParkSense front and rear park assist system (requires Chrome Appearance Group and fog lamps on Tradesman or fog lamps on SLT)	0	0	0
ParkSense rear park assist system	0	0	0
Red seat belts — regular cab models only (not available on 10,000-lb. GVWR 3500 SRW models)	0	0	_
Remote Keyless Entry — controls for power door locks, illuminated entry System and panic alarm; includes two transmitters (included with Power and Remote Entry Group)	P/O	S	S
Remote Start System — requires automatic transmission; included with available automatic transmission on Laramie	<u> </u>	0	Р
Security alarm	_	0	S
Selective tire-pressure monitoring display (available on 3500 models over 10,000-lb. GVWR only)	0	0	0
Sentry Key theft deterrent system — engine immobilizer	S	S	S
Tire-pressure monitoring (packaged with 10,000-lb. GVWR 3500 SRW models)	Р	Р	Р
Trailer brake controller — fully integrated electronic	0	0	0
PACKAGES/EQUIPMENT GROUPS			
Ambulance Prep Group — includes 220-amp alternator, voltage monitoring auto idle-up system and upfitter electronic interface module	0	0	0
Chrome Appearance Group — includes chrome front bumper and grille surround and chrome wheel covers on 3500 models; chrome grille and chrome front bumper on 4500/5500 models	0	_	_



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Cold Weather Group — includes engine block heater and winter front grille cover (requires diesel engine)	0	0	0
Convenience Group — includes auto-dimming rearview mirror, rain-sensing wipers, automatic high-beam headlamp control, remote proximity keyless entry and Keyless Enter 'n Go (not available with manual transmission)	_	_	0
Emergency/Fire/Rescue Special Emissions Package — includes dual alternators rated at 440 amps and special emissions emergency vehicle (requires 6.7-liter Cummins Turbo Diesel; requires Ambulance Prep Group)	F	F	F
Heated Seats and Wheel Group — includes heated cloth front seats and heated leather-wrapped steering wheel	_	0	_
Heavy-Duty Front Suspension Group — included with Heavy-Duty Snow Plow Prep Group; 4500/5500 models only)	O/P	O/P	O/P
Heavy-Duty Snow Plow Prep Group — includes 220-amp alternator, transfer case skid plate (3500 models require 4x4), and heavy-duty front suspension (4500, 5500 models only)	0	0	0
Luxury Group — includes sun visors with illuminated vanity mirrors, glove box lamp, underhood lamp, rear dome lamp with on/off switch, 7.4-in. EVIC, leather-wrapped steering wheel with audio controls, overhead console, rear power sliding window (crew cab models) and universal garage door opener (requires Uconnect 5.0, 8.4A or 8.4 NAV)	_	0	_
Max Tow Package — includes underbody thermal protection; 4.88 axle ratio and transmission software calibration on 4500/5500 models; includes dual transmission oil cooler, underbody thermal protection, 4.10 axle ratio, transmission software calibration and aluminum rear differential cover on 3500 models (requires diesel engine with automatic transmission and trailer brake controller; not available on 3500 SRW models)	0	0	0
Payload Upgrade Package — includes 19,000-lb. GVWR with 60-in. CA, 19,500-lb. GVWR with 84-in., 108-in. and 120-in. CA, 4.88 rear axle ratio (5500 with 6.4-liter only)	0	0	0
Power Accessory Group — includes power windows, premium vinyl door trim, power door locks and power adjustable exterior trailer-tow mirrors with turn signal indicators (regular cab only)	0	_	_
Power and Remote Entry Group — includes power windows, premium vinyl door trim, power door locks, power adjustable exterior trailer-tow mirrors with turn signal indicators and remote keyless entry (regular cab only)	0	_	_
Power Take Off Prep Group — includes hard-wire remote start, if equipped with AISIN transmission, and includes split shaft capability, if equipped with diesel engine	0	0	0
Power Take Off Prep Group (left side) — includes hard wire remote start, if equipped with AISIN transmission, and includes split shaft capability, if equipped with diesel engine	0	0	0
Rear Interior Trim Delete Group — includes front center seat delete, rear floor storage tray delete and cab back trim panel delete (regular cab models only)	0	0	_



	Tradesman Reg/Crew	SLT Reg/Crew	Laramie Crew
Rollback Carrier Group — includes voltage monitoring auto idle-up system (5500 120-CA regular cab models only; requires 22-gallon mid-ship fuel tank, PTO prep and 220-amp alternator)	0	0	_
Single Rear Wheel Group (standard on 3500 10,000-lb. GVWR models; available on 3500 over 10,000-lb. GVWR models; not available on 4500/5500 models)	S/O	S/O	S/O

