

2021 Ram 3500, 4500 & 5500 Chassis Cab TOWING CHART

RAM 3500 CHASSIS CAB TRAILER TOWING CHART

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X2 - SRW											
6.4L V-8 HEMI®	A8 8HP75	4.10	10,700	4,930	5,770	3,526	2,244	5,500	6,800	22,000	16,080
6.4L V-8 HEMI	A8 8HP75	4.10	10,000	4,230	5,770	3,526	2,244	5,500	6,800	24,000	18,080
6.4L V-8 HEMI	A6 AS66RC	4.44	10,700	4,800	5,900	3,636	2,264	5,500	6,800	25,000	18,950
REGULAR CAB - CA 60" - 4X2 - DRW											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,380	6,116	3,548	2,568	5,500	9,850	22,000	15,730
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,750	6,246	3,658	2,588	5,500	9,850	25,000	18,600
REGULAR CAB - CA 84" - 4X2 - DRW											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,300	6,202	3,644	2,558	5,500	9,850	22,000	15,650
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,670	6,332	3,754	2,578	5,500	9,850	25,000	18,520
CREW CAB - CA 60" - 4X2 - SRW											
6.4L V-8 HEMI	A8 8HP75	4.10	10,700	4,490	6,210	3,692	2,518	5,500	6,800	22,000	15,640
6.4L V-8 HEMI	A6 AS66RC	4.44	10,700	4,360	6,340	3,802	2,538	5,500	6,800	25,000	18,510
CREW CAB - CA 60" - 4X2 - DRW											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	6,910	6,594	3,743	2,851	5,500	9,850	22,000	15,260
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,270	6,726	3,853	2,873	5,500	9,850	25,000	18,120

RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X4 - SRW											
6.4L V-8 HEMI	A8 8HP75	4.10	11,000	4,990	6,013	3,732	2,281	5,500	5,500	22,000	15,840
6.4L V-8 HEMI	A8 8HP75	4.10	10,000	3,990	6,013	3,732	2,281	5,500	6,800	24,000	17,840
6.4L V-8 HEMI	A6 AS66RC	4.44	11,000	4,860	6,143	3,842	2,301	5,500	6,800	25,000	18,710
REGULAR CAB - CA 60" - 4X4 - DRW											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,150	6,353	3,752	2,601	5,500	9,850	22,000	15,500
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,520	6,483	3,862	2,621	5,500	9,850	25,000	18,370
REGULAR CAB - CA 84" - 4X4 - DRW											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,020	6,485	3,880	2,605	5,500	9,850	22,000	15,370
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,390	6,615	3,990	2,625	5,500	9,850	25,000	18,240
CREW CAB - CA 60" - 4X4 - SRW											
6.4L V-8 HEMI	A8 8HP75	4.10	11,000	4,470	6,529	3,950	2,579	5,500	6,800	22,000	15,320
6.4L V-8 HEMI	A6 AS66RC	4.44	11,000	4,340	6,659	4,060	2,599	5,500	6,800	25,000	18,190
CREW CAB - CA 60" - 4X4 - DRW											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	6,630	6,869	3,970	2,899	5,500	9,850	22,000	14,980
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,000	6,999	4,080	2,919	5,500	9,850	25,000	17,850

RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X2 - SRW											
6.7L Cummins Diesel	A6 AS69RC	3.73	11,600	4,990	6,614	4,266	2,348	6,000	6,800	25,000	18,240
6.7L Cummins Diesel	A6 AS69RC	4.10	11,600	4,990	6,614	4,266	2,348	6,000	6,800	27,500	20,740
REGULAR CAB - CA 60" - 4X2 - DRW											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	7,040	6,960	4,268	2,692	6,000	9,850	31,000	23,890
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	7,040	6,960	4,268	2,692	6,000	9,850	33,000	25,890
REGULAR CAB - CA 84" - 4X2 - DRW											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,950	7,046	4,364	2,682	6,000	9,850	31,000	23,800
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,950	7,046	4,364	2,682	6,000	9,850	33,000	25,800
CREW CAB - CA 60" - 4X2 - SRW											
6.7L Cummins Diesel	A6 AS69RC	3.73	11,600	4,550	7,054	4,412	2,642	6,000	6,800	25,000	17,800
6.7L Cummins Diesel	A6 AS69RC	4.10	11,600	4,550	7,054	4,412	2,642	6,000	6,800	27,500	20,300

RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,560	7,438	4,463	2,975	6,000	9,850	31,000	23,410
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,560	7,438	4,463	2,975	6,000	9,850	33,000	25,410

REGULAR CAB - CA 60" - 4X4 - SRW

6.7L Cummins Diesel	A6 AS69RC	3.73	12,000	5,140	6,857	4,452	2,405	6,000	6,800	25,000	17,990
6.7L Cummins Diesel	A6 AS69RC	4.10	12,000	5,140	6,857	4,452	2,405	6,000	6,800	27,500	20,490

REGULAR CAB - CA 60" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,800	7,203	4,481	2,722	6,000	9,850	31,000	23,650
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,800	7,203	4,481	2,722	6,000	9,850	33,000	25,650

REGULAR CAB - CA 84" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,670	7,329	4,600	2,729	6,000	9,850	31,000	23,520
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,670	7,329	4,600	2,729	6,000	9,850	33,000	25,520

RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X4 - SRW

6.7L Cummins Diesel	A6 AS69RC	3.73	12,000	4,630	7,373	4,670	2,703	6,000	6,800	25,000	17,480
6.7L Cummins Diesel	A6 AS69RC	4.10	12,000	4,630	7,373	4,670	2,703	6,000	6,800	27,500	19,980

CREW CAB - CA 60" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,280	7,723	4,701	3,022	6,000	9,850	31,000	23,130
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,280	7,723	4,701	3,022	6,000	9,850	33,000	25,130

RAM 4500 CHASSIS CAB TRAILER TOWING CHART

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	8,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	8,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	9,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	9,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,690	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,690	6,808	3,770	3,038	6,000	12,000	28,500	21,540
REGULAR CAB - CA 84" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	8,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	8,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	9,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	9,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,530	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,530	6,973	3,880	3,093	6,000	12,000	28,500	21,380

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 108" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,380	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,380	7,121	3,954	3,167	6,500	12,000	28,500	21,230
REGULAR CAB - CA 120" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,240	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,240	7,261	4,024	3,237	6,500	12,000	28,500	21,090

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X2 - DRW

6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,110	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,110	7,386	4,032	3,354	6,000	12,000	28,500	20,960

CREW CAB - CA 84" - 4X2 - DRW

6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,526	4,216	3,310	6,000	12,000	28,500	20,820

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,300	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,300	7,197	4,037	3,160	6,000	12,000	28,500	21,150
REGULAR CAB - CA 84" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,150	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,150	7,349	4,208	3,141	6,000	12,000	28,500	21,000

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 108" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,030	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,030	7,467	3,953	3,514	6,500	12,000	28,500	20,880
REGULAR CAB - CA 120" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,528	3,984	3,544	6,500	12,000	28,500	20,820

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X4 - DRW

6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,760	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,760	7,739	4,340	3,399	6,000	12,000	28,500	20,610

CREW CAB - CA 84" - 4X4 - DRW

6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,670	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,670	7,830	4,498	3,332	6,000	12,000	28,500	20,520

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

REGULAR CAB - CA 60" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770

REGULAR CAB - CA 84" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

REGULAR CAB - CA 84" - 4X2 - DRW (CONTINUED)

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540

REGULAR CAB - CA 108" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,020	7,979	4,659	3,320	7000/ 7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,020	7,979	4,659	3,320	7000/ 7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,020	7,979	4,659	3,320	7000/ 7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,020	7,979	4,659	3,320	7000/ 7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,520	7,979	4,659	3,320	7000/ 7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,520	7,979	4,659	3,320	7000/ 7250	12,000	37,500	29,370

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120

CREW CAB - CA 84" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 84" - 4X2 - DRW (CONTINUED)

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980

REGULAR CAB - CA 60" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

REGULAR CAB - CA 84" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160

REGULAR CAB - CA 108" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

REGULAR CAB - CA 108" - 4X4 - DRW (CONTINUED)

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040

REGULAR CAB - CA 120" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770

CREW CAB - CA 84" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680

RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 84" - 4X4 - DRW (CONTINUED)

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	7,830	8,671	5,236	3,435	7000/ 7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	7,830	8,671	5,236	3,435	7000/ 7250	12,000	37,500	28,680

RAM 5500 CHASSIS CAB TRAILER TOWING CHART

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	11,140	6,862	3,750	3,112	6000/6500	13,500	26,000	18,990
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	12,140	6,862	3,750	3,112	6000/6500	13,500	28,500	21,490
REGULAR CAB - CA 84" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	11,010	6,988	3,890	3,098	6000/6500	13,500	26,000	18,860
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,510	6,988	3,890	3,098	6000/6500	13,500	28,500	21,360
REGULAR CAB - CA 108" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,840	7,160	4,031	3,129	6500/7000	13,500	26,000	18,690
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,340	7,160	4,031	3,129	6500/7000	13,500	28,500	21,190
REGULAR CAB - CA 120" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,790	7,212	4,076	3,136	6500/7000	13,500	26,000	18,640
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,290	7,212	4,076	3,136	6500/7000	13,500	28,500	21,140
CREW CAB - CA 60" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,369	4,033	3,336	6000/7000	13,500	26,000	18,480
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,630	7,369	4,033	3,336	6000/7000	13,500	28,500	20,980

RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
CREW CAB - CA 84" - 4X2 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,440	7,562	4,211	3,351	6000/7000	13,500	26,000	18,290
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,940	7,562	4,211	3,351	6000/7000	13,500	28,500	20,790
REGULAR CAB - CA 60" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,770	7,234	4,049	3,185	6000/6500	13,500	26,000	18,620
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,770	7,234	4,049	3,185	6000/6500	13,500	28,500	21,120
REGULAR CAB - CA 84" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,366	4,215	3,151	6000/6500	13,500	26,000	18,480
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,130	7,366	4,215	3,151	6000/6500	13,500	28,500	20,980
REGULAR CAB - CA 108" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,490	7,510	4,349	3,161	6500/7000	13,500	26,000	18,340
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,990	7,510	4,349	3,161	6500/7000	13,500	28,500	20,840
REGULAR CAB - CA 120" - 4X4 - DRW											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,410	7,588	4,410	3,178	6500/7000	13,500	26,000	18,260
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,910	7,588	4,410	3,178	6500/7000	13,500	28,500	20,760

RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X4 - DRW

6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,250	7,750	4,364	3,386	6000/7000	13,500	26,000	18,100
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,250	7,750	4,364	3,386	6000/7000	13,500	28,500	20,600

CREW CAB - CA 84" - 4X4 - DRW

6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,080	7,920	4,530	3,390	6000/7000	13,500	26,000	17,930
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,580	7,920	4,530	3,390	6000/7000	13,500	28,500	20,430

REGULAR CAB - CA 60" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,870	7,629	4,498	3,131	7000/7250	13,500	32,000	24,220
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,870	7,629	4,498	3,131	7000/7250	13,500	43,000	35,220

REGULAR CAB - CA 84" - 4X2 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,750	7,754	4,568	3,186	7000/7250	13,500	32,000	24,100
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,750	7,754	4,568	3,186	7000/7250	13,500	43,000	35,100

RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 108" - 4X2 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,660	7,839	4,609	3,230	7000/ 7250	13,500	32,000	24,010
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,660	7,839	4,609	3,230	7000/ 7250	13,500	43,000	35,010
REGULAR CAB - CA 120" - 4X2 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,570	7,929	4,654	3,275	7000/ 7250	13,500	32,000	23,920
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,570	7,929	4,654	3,275	7000/ 7250	13,500	43,000	34,920
CREW CAB - CA 60" - 4X2 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,290	8,210	4,751	3,459	7000/ 7250	13,500	32,000	23,640
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,290	8,210	4,751	3,459	7000/ 7250	13,500	43,000	34,640
CREW CAB - CA 84" - 4X2 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,100	8,403	4,929	3,474	7000/ 7250	13,500	32,000	23,450
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,100	8,403	4,929	3,474	7000/ 7250	13,500	43,000	34,450

RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
REGULAR CAB - CA 60" - 4X4 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,450	8,047	4,748	3,299	7000/ 7250	13,500	32,000	23,800
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,450	8,047	4,748	3,299	7000/ 7250	13,500	43,000	34,800
REGULAR CAB - CA 84" - 4X4 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,320	8,179	4,914	3,265	7000/ 7250	13,500	32,000	23,670
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,320	8,179	4,914	3,265	7000/ 7250	13,500	43,000	34,670
REGULAR CAB - CA 108" - 4X4 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,180	8,323	5,048	3,275	7000/ 7250	13,500	32,000	23,530
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,180	8,323	5,048	3,275	7000/ 7250	13,500	43,000	34,530
REGULAR CAB - CA 120" - 4X4 - DRW											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,100	8,401	5,109	3,292	7000/ 7250	13,500	32,000	23,450
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,100	8,401	5,109	3,292	7000/ 7250	13,500	43,000	34,450

RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB - CA 60" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	10,940	8,563	5,063	3,500	7000/ 7250	13,500	32,000	23,290
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	10,940	8,563	5,063	3,500	7000/ 7250	13,500	43,000	34,290

CREW CAB - CA 84" - 4X4 - DRW

6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	10,770	8,733	5,229	3,504	7000/ 7250	13,500	32,000	23,120
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	10,770	8,733	5,229	3,504	7000/ 7250	13,500	43,000	34,120

| E N D |